

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/072,437	02/05/2002	Thomas B. Bolt	Q02-1032-US1/11198.85	2631
Robert A. Saltz	_	EXAMINER		
MORRISON & 425 Market Str	FOERSTER LLP	WOO, ISAAC M		
	CA 94105-2482	ART UNIT	PAPER NUMBER	
			2166	
SHORTENED STATUTOR	Y PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
3 MONTHS 04/18/2007		PAP	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

		Application No.	Applicant(s)				
Office Action Summary		10/072,437	BOLT, THOMAS	В.			
		Examiner	Art Unit				
		Isaac M. Woo	2166				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
WHIC - Exter after - If NO - Failui Any r	ORTENED STATUTORY PERIOD FOR REF CHEVER IS LONGER, FROM THE MAILING asions of time may be available under the provisions of 37 CFR SIX (6) MONTHS from the mailing date of this communication. It period for reply is specified above, the maximum statutory perion to reply within the set or extended period for reply will, by state to reply within the set or extended period for reply will, by state to reply received by the Office later than three months after the mand patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMI 1.136(a). In no event, however, od will apply and will expire SIX tute, cause the application to be	MUNICATION. may a reply be timely filed (6) MONTHS from the mailing date of this come ABANDONED (35 U.S.C. § 133).				
Status							
1) 🛛) Responsive to communication(s) filed on 29 January 2007.						
•	This action is FINAL . 2b) This action is non-final.						
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims							
4)🖂	4)⊠ Claim(s) <u>2-11,13-22 and 28-43</u> is/are pending in the application.						
	4a) Of the above claim(s) is/are withdrawn from consideration.						
5)	5) Claim(s) is/are allowed.						
6)⊠	6)⊠ Claim(s) <u>2-11, 13-22, and 28-43</u> is/are rejected.						
7)	7) Claim(s) is/are objected to.						
8)□	Claim(s) are subject to restriction and	d/or election requireme	nt.				
Applicati	on Papers						
9) 🗀 '	The specification is objected to by the Exami	iner.					
10)	The drawing(s) filed on is/are: a)☐ a	ccepted or b) object	ed to by the Examiner.				
	Applicant may not request that any objection to the	he drawing(s) be held in a	abeyance. See 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority u	ınder 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a) ☐ All b) ☐ Some * c) ☐ None of: 1. ☐ Certified copies of the priority documents have been received.							
•	2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in Application No							
application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.							
		•					
Attachmen	t(s)						
	e of References Cited (PTO-892)	4) 🔲 Inte	erview Summary (PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)		Pap	per No(s)/Mail Date				
	nation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	· —	tice of Informal Patent Application er:				

DETAILED ACTION

- 1. This action is in response to Applicant's Amendments, filed on January 29, 2007 have been considered but are not persuasive.
- 2. Claims 2-11, 13-22 and 28-43 are presented for examination for this office action.

Response to arguments

3. In response to Applicant's Remarks filed January 29, 2007, the following factual arguments are noted:

Karasudani et al (U.S. Patent No. 6,378,054, hereinafter, "Karasudani") does not teach or suggest, "uncompressed data is copied, retrieves the uncompressed data, compresses the retrieved data, and then re-stores the compressed data on the backup storage device".

However, examiner disagrees. Karasudani teaches backup of archive file (2 in fig. 4) is backup, which is uncompressed data is copied into 30 in fig. 4, (col. 14, lines 14-22). Karasudani teaches retrieves the uncompressed data (the archive file is not compressed, and uncompressed archived file is retrieved, 20 in fig. 4, fig. 5), compresses the retrieved file data (compressing the retrieved archived file s2 in fig. 5, col. 14, lines 23-45), and then re-stores the compressed data on the backup storage device (obviously, after compressed the retrieved archived file is re-stored again in 30 in

Art Unit: 2166

fig. 4, s2 in fig. 5, col. 14, lines 23-45). Karasudani teaches or suggests, "uncompressed data is copied, retrieves the uncompressed data, compresses the retrieved data, and then re-stores the compressed data on the backup storage device.

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 5. Claims 2-11, 13-22 and 28-43 are rejected under 35 U.S.C. 102(e) as being anticipated by Karasudani et al (U.S. Patent No. 6,378,054, hereinafter, "Karasudani").

With respect to claim 2, Karasundani teaches the compression of data is performed using a software data compression algorithm (col. 5, lines 3-26).

With respect to claim 3, Karasundani teaches the software data compression algorithm includes one of the following types of algorithms: a zip; a gnuzip; a bzip; a b2zip; a Lempil Ziv; and a LZS (Lempil Ziv Stac) (col. 5, lines 3-26).

Art Unit: 2166

With respect to claim 4, Karasundani teaches successively repeating the receiving and storing of data during the backup window periods and retrieving, compressing and storing compressed data on the backup storage device during successive duty cycles respectively (col. 11, lines 5-29).

With respect to claim 5, Karasundani teaches the backup storage device is an emulated tape drive containing an array of hard drives (col. 8, lines 49-61).

With respect to claim 6, Karasundani teaches the data is downloaded over a network from a primary storage location (col. 1, lines 8-25).

With respect to claim 7, Karasundani teaches the data is downloaded over a fiber-channel connection between the primary storage location and the backup storage device (col. 1, lines 5-65).

With respect to claim 8, Karasundani teaches the data is downloaded over an ethernet connection between the primary storage location and the backup storage device (col. 1, lines 5-65).

With respect to claim 9, Karasundani teaches the primary storage location and the backup storage device are part of a storage array network (col. 1, lines 5-65).

Art Unit: 2166

With respect to claim 10, Karasundani teaches the primary storage location and the backup storage device are part of a network attached storage configuration (col. 1, lines 5-65).

With respect to claim 11, Karasundani teaches the backup storage device is directly electrically connected to a server (col. 1, lines 5-65).

With respect to claim 13, Karasundani teaches the controller is further configured to execute a software algorithm to compress the retrieved data (col. 11, lines 5-29).

With respect to claim 14, Karasundani teaches algorithms a zip; a gnuzip; a bzip; a b2zip; a Lempil Ziv; and a LZS (Lempil Ziv Stac) (col. 11, lines 5-29).

With respect to claim 15, Karasundani teaches the software algorithm is stored in a memory associated with the controller (col. 11, lines 5-29).

With respect to claim 16, Karasundani teaches a fiber channel controller coupled between the controller and the input/output port which comprises an optical transceiver (col. 11, lines 5-29).

Art Unit: 2166

With respect to claim 17, Karasundani teaches ethernet controller coupled between the controller and the input/output port which comprises an ethernet transceiver (col. 8, lines 49-67 to col. 9, lines 1-67).

With respect to claim 18, Karasundani teaches a network hub and bridge circuit coupled between the backup storage device and the controller (col. 8, lines 49-67 to col. 9, lines 1-67).

With respect to claim 19, Karasundani teaches a primary storage location that allows transmission of uncompressed data from the primary storage location to the backup storage device (col. 11, lines 5-29).

With respect to claim 20, Karasundani teaches network connection is one of the following types of network connections: fiber channel or ethernet (col. 11, lines 5-29).

With respect to claim 21, Karasundani teaches the software algorithm is stored in a memory associated with the controller (col. 11, lines 5-29).

With respect to claim 22, Karasundani teaches plurality of clients and servers coupled to the primary storage location through a client network (col. 8, lines 49-67 to col. 9, lines 1-67).

Art Unit: 2166

With respect to claim 28, Karasundani teaches a controller that transmits data between the primary storage location and the backup storage device according to a duty cycle having a predetermined backup window period (co. 11, lines 5-29, col. 5, lines 3-26) when uncompressed data from the primary storage location (i.e., backup from source to destination fig. 19) is copied to the backup storage device (col. 11, lines 5-29, col. 3, lines25-33), and an idle period when uncompressed data from the primary storage location is not being copied in uncompressed form to the backup storage device (col. 11, lines 5-29,col. 3, lines25-33); wherein during the idle period the controller retrieves the uncompressed data stored on the backup storage device, compresses the retrieved data (i.e., archive file is backed up and backup file is compressed at S2 in fig. 5, col. 11, lines 30-41, col. 12, lines 31-45, col. 5, lines 3-26), and then re-stores the compressed data on the backup storage device (S2, fig. 5, col. 11, lines 30-41, col. 12, lines 31-45, col. 5, lines 3-26).

With respect to claim 29, Karasundani teaches compression of data is performed using a software data compression algorithm (col. 11, lines 30-41, col. 12, lines 31-45, col. 5, lines 3-26).

With respect to claim 30, Karasundani teaches backup storage device is an emulated tape drive containing an array of hard drives (col. 11, lines 30-41, col. 12, lines 31-45, col. 5, lines 3-26).

Art Unit: 2166

With respect to claim 31, Karasundani teaches a controller that copies, uncompressed data from the primary storage location to the backup storage device during a predetermined backup period, (i.e., backup from source to destination fig. 19) is copied to the backup storage device (col. 11, lines 5-29, col. 3, lines25-33) retrieves the uncompressed data from the backup storage device (archive file s1 in fig. 5, col. 11, lines 30-41, col. 12, lines 31-45, col. 5, lines 3-26), compresses the retrieved data (s2 in fig. 5, col. 11, lines 30-41, col. 12, lines 31-45, col. 5, lines 3-26), and then re-stores the compressed data on the backup storage device during an idle period that begins following a predetermined time period of inactivity through the input/output port (s2 in fig. 5, col. 11, lines 30-41, col. 12, lines 31-45, col. 5, lines 3-26).

With respect to claim 32, Karasundani teaches copying uncompressed data during a predetermined backup window period from the primary storage location to the backup storage device (i.e., backup from source to destination fig. 19, col. 11, lines 5-29, col. 3, lines25-33); compressing the data with a controller during an idle period defined by when uncompressed data is not being copied from the primary storage location to the backup storage device; (s2 in fig. 5, col. 11, lines 30-41, col. 12, lines 31-45, col. 5, lines 3-26), re-storing the compressed data onto the backup storage device during the idle period (s2 in fig. 5, col. 11, lines 30-41, col. 12, lines 31-45, col. 5, lines 3-26).

Art Unit: 2166

With respect to claim 33, Karasundani teaches beginning the idle period following a predetermined time period of inactivity through the input/output port (col. 11, lines 30-41, col. 12, lines 31-45, col. 5, lines 3-26).

With respect to claim 34, Karasundani teaches compressing the data when activity is detected through the input/output port the input/output port (col. 11, lines 5-29, col. 3, lines25-33).

With respect to claim 35, Karasundani teaches interrupting the step of re-storing the compressed data when activity is detected through the input/output port (col. 11, lines 5-29, col. 3, lines25-33).

With respect to claim 36, Karasundani teaches copying uncompressed data during a predetermined backup window period from the primary storage location to the backup storage device (i.e., backup from source to destination fig. 19, col. 11, lines 5-29, col. 3, lines25-33); compressing the data with a controller during an idle period defined by when uncompressed data is not being copied from the primary storage location to the backup storage device; (s2 in fig. 5, col. 11, lines 30-41, col. 12, lines 31-45, col. 5, lines 3-26), re-storing the compressed data onto the backup storage device during the idle period (s2 in fig. 5, col. 11, lines 30-41, col. 12, lines 31-45, col. 5, lines 3-26).

Art Unit: 2166

With respect to claim 37, Karasundani teaches compression of data is performed using a software data compression algorithm (col. 11, lines 30-41).

With respect to claim 38 Karasundani teaches successively repeating the receiving and storing of data during the backup window periods and retrieving, compressing and storing compressed data on the backup storage device during successive duty cycles respectively (col. 11, lines 5-29, col. 3, lines25-33).

With respect to claim 39 Karasundani teaches the backup storage device is an emulated tape drive containing an array of hard drives (col. 11, lines 5-29, col. 3, lines25-33).

With respect to claim 40, Karasundani teaches the data is downloaded over a network from a primary storage location (col. 11, lines 30-41, col. 12, lines 31-45, col. 5, lines 3-26).

With respect to claim 41, Karasundani teaches interrupting the step of compressing the data when activity is detected through the input/output port (col. 11, lines 5-29, col. 3, lines25-33).

Art Unit: 2166

With respect to claim 42, Karasundani teaches re-storing the compressed data when activity is detected through input/output port (col. 11, lines 5-29, col. 3, lines25-33).

With respect to claim 43, Karasundani teaches a controller that transmits data between the primary storage location and the backup storage device (i.e., backup from source to destination fig. 19, col. 11, lines 5-29, col. 3, lines25-33) according to a duty cycle having a backup window period and an idle period (col. 11, lines 5-29, col. 3, lines 25-33), the controller transmitting uncompressed data from the primary storage location for copying to the backup storage device during the backup window period (i.e., archive file in fig. 5), the controller determining initiation of the idle period based on a predetermined time period of inactivity of data transmission through the input/output port and terminating the idle period once data transmission through the input/output port occurs; (s2 in fig. 5, col. 11, lines 30-41, col. 12, lines 31-45, col. 5, lines 3-26) wherein during the idle period, the controller initiates (i) compression of uncompressed data stored on the backup storage device, and (ii) restorage of compressed data onto the backup storage device (s2 in fig. 5, col. 11, lines 30-41, col. 12, lines 31-45, col. 5, lines 3-26).

Conclusion

6. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Art Unit: 2166

Contact Information

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Isaac M. Woo whose telephone number is (571) 272-4043. The examiner can normally be reached on 8:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hosain T. Alam can be reached on (571) 272-3978. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Isaac Woo April 12, 2007